## Prevention of tuberculosis

The mother of a 6-month-old boy came to a pediatrician. She is concerned that her child has not received any vaccinations. There are no health complaints. Objectively, the following is observed: body temperature — 37.1°C, respiratory rate — 20/min., blood pressure — 100/70 mm Hg, the child's height and weight are within the range between the 50th and 75th percentile.

What tactics must the doctor choose in the immunization of this child according to the regulatory documents issued by the Ministry of Health?

The mother of a 6-month-old boy came to a pediatrician. She is concerned that her child has not received any vaccinations. There are no health complaints.

Objectively, the following is observed: body temperature — 37.1°C, respiratory rate — 20/min., blood pressure — 100/70 mm Hg, the child's height and weight are within the range between the 50th and 75th percentile.

What tactics must the doctor choose in the immunization of this child according to the regulatory documents issued by the Ministry of Health?

- Administer BCG vaccine
- Administer BCG, MMR, and DPT vaccines
- Perform a Mantoux test and make an appointment in 2 days
- Postpone the vaccination and make an appointment in a week
- The child requires no vaccination

The mother of a 6-month-old boy came to a pediatrician. She is concerned that her child has not received any vaccinations. There are no health complaints.

Objectively, the following is observed: body temperature — 37.1°C, respiratory rate — 20/min., blood pressure — 100/70 mm Hg, the child's height and weight are within the range between the 50th and 75th percentile.

What tactics must the doctor choose in the immunization of this child according to the regulatory documents issued by the Ministry of Health?

- Administer BCG vaccine
- Administer BCG, MMR, and DPT vaccines
- Perform a Mantoux test and make an appointment in 2 days
- Postpone the vaccination and make an appointment in a week
- The child requires no vaccination