

Tuberculosis of extrapulmonary localization

A 48-year-old woman complains of pain in the thoracic spine, sensitivity disorder in the lower body, disrupted motor function of the lower limbs, body temperature rise up to 37,5°C. She has been suffering from this condition for 3 years. Treatment by various specialists was ineffective. X-ray reveals destruction of adjacent surfaces of the VIII and IX vertebral bodies. In the right paravertebral area at the level of lesion there is an additional soft tissue shadow.

What diagnosis is most likely?

A 48-year-old woman complains of pain in the thoracic spine, sensitivity disorder in the lower body, disrupted motor function of the lower limbs, body temperature rise up to 37,5°C. She has been suffering from this condition for 3 years. Treatment by various specialists was ineffective. X-ray reveals destruction of adjacent surfaces of the VIII and IX vertebral bodies. In the right paravertebral area at the level of lesion there is an additional soft tissue shadow.

What diagnosis is most likely?

- Osteochondrosis
- Multiple sclerosis
- Spinal tumor
- Metastases into the spine
- Tuberculous spondylitis of the thoracic spine

A 48-year-old woman complains of pain in the thoracic spine, sensitivity disorder in the lower body, disrupted motor function of the lower limbs, body temperature rise up to 37,5°C. She has been suffering from this condition for 3 years. Treatment by various specialists was ineffective. X-ray reveals destruction of adjacent surfaces of the VIII and IX vertebral bodies. In the right paravertebral area at the level of lesion there is an additional soft tissue shadow.

What diagnosis is most likely?

- Osteochondrosis
- Multiple sclerosis
- Spinal tumor
- Metastases into the spine
- Tuberculous spondylitis of the thoracic spine

A 32-year-old man complains of pain in the chest on the left, dyspnea, temperature rise up to 38,0°C, slight cough. The disease onset was 2 weeks ago after overexposure to cold. He had suffered from bronchoadenitis in his childhood. The affected side lags during breathing; percussion reveals dull sound with oblique margin in the lower left lung, where breathing is absent. The right heart border is displaced outwards. Mantoux test with 2 TU resulted in a papule 16 mm in size.

What diagnosis is most likely?

A 32-year-old man complains of pain in the chest on the left, dyspnea, temperature rise up to 38,0°C, slight cough. The disease onset was 2 weeks ago after overexposure to cold. He had suffered from bronchoadenitis in his childhood. The affected side lags during breathing; percussion reveals dull sound with oblique margin in the lower left lung, where breathing is absent. The right heart border is displaced outwards. Mantoux test with 2 TU resulted in a papule 16 mm in size.

What diagnosis is most likely?

- Congestion pneumonia
- Thromboembolism of the pulmonary artery branches
- Tuberculous pleurisy
- Central carcinoma of the left lung
- Community-acquired pneumonia

A 32-year-old man complains of pain in the chest on the left, dyspnea, temperature rise up to 38,0°C, slight cough. The disease onset was 2 weeks ago after overexposure to cold. He had suffered from bronchoadenitis in his childhood. The affected side lags during breathing; percussion reveals dull sound with oblique margin in the lower left lung, where breathing is absent. The right heart border is displaced outwards. Mantoux test with 2 TU resulted in a papule 16 mm in size.

What diagnosis is most likely?

- Congestion pneumonia
- Thromboembolism of the pulmonary artery branches
- Tuberculous pleurisy
- Central carcinoma of the left lung
- Community-acquired pneumonia

A patient is being treated in the tuberculosis clinic. Throughout the last 3 weeks he has been suffering from headaches of increasing intensity. Neurological examination detects nuchal rigidity without focal signs.

Make the provisional diagnosis:

A patient is being treated in the tuberculosis clinic. Throughout the last 3 weeks he has been suffering from headaches of increasing intensity. Neurological examination detects nuchal rigidity without focal signs.

Make the provisional diagnosis:

- Brain tumor
- Tuberculous meningitis
- Myelitis
- Convexital arachnoiditis
- Chorea minor

A patient is being treated in the tuberculosis clinic. Throughout the last 3 weeks he has been suffering from headaches of increasing intensity. Neurological examination detects nuchal rigidity without focal signs.

Make the provisional diagnosis:

- Brain tumor
- Tuberculous meningitis
- Myelitis
- Convexital arachnoiditis
- Chorea minor

A 35-year-old patient complains of weakness, excessive sweating, fatigability, pain in the right side during breathing, and a fever of 38°C. Objectively, the following is observed: respiratory rate — 28/min., pulse — 100/min. The right half of the chest lags behind during the act of breathing. Voice tremor is not conducted on the right. Percussion detects a dull sound, breathing is weakened. The borders of the heart are shifted to the left. Complete blood count: leukocytes — $12 \cdot 10^9/\text{L}$, band neutrophils — 13%, lymphocytes — 13%, ESR — 38 mm/hour.

What is the most likely diagnosis in this case?

A 35-year-old patient complains of weakness, excessive sweating, fatigability, pain in the right side during breathing, and a fever of 38°C. Objectively, the following is observed: respiratory rate — 28/min., pulse — 100/min. The right half of the chest lags behind during the act of breathing. Voice tremor is not conducted on the right. Percussion detects a dull sound, breathing is weakened. The borders of the heart are shifted to the left. Complete blood count: leukocytes — $12 \cdot 10^9/L$, band neutrophils — 13%, lymphocytes — 13%, ESR — 38 mm/hour.

What is the most likely diagnosis in this case?

- Right-sided pneumonia
- Lung atelectasis
- Infiltrative tuberculosis
- Exudative pleurisy
- Pneumothorax

A 35-year-old patient complains of weakness, excessive sweating, fatigability, pain in the right side during breathing, and a fever of 38°C. Objectively, the following is observed: respiratory rate — 28/min., pulse — 100/min. The right half of the chest lags behind during the act of breathing. Voice tremor is not conducted on the right. Percussion detects a dull sound, breathing is weakened. The borders of the heart are shifted to the left. Complete blood count: leukocytes — $12 \cdot 10^9/L$, band neutrophils — 13%, lymphocytes — 13%, ESR — 38 mm/hour.

What is the most likely diagnosis in this case?

- Right-sided pneumonia
- Lung atelectasis
- Infiltrative tuberculosis
- Exudative pleurisy
- Pneumothorax

A 6-month-old child started refusing to eat and developed an acute fever of 39°C, vomiting, and short-term tonic clonic seizures. Objectively, the child is sluggish and sleepy. Nuchal rigidity, Kernig's signs, and a bulging and tense fontanel are observed.

What laboratory and instrumental study is necessary to confirm the diagnosis in this case?

A 6-month-old child started refusing to eat and developed an acute fever of 39°C, vomiting, and short-term tonic clonic seizures. Objectively, the child is sluggish and sleepy. Nuchal rigidity, Kernig's signs, and a bulging and tense fontanel are observed.

What laboratory and instrumental study is necessary to confirm the diagnosis in this case?

Serum biochemistry profile

Neurosonography

Brain MRI

Skull X-ray

Lumbar puncture

A 6-month-old child started refusing to eat and developed an acute fever of 39°C, vomiting, and short-term tonic clonic seizures. Objectively, the child is sluggish and sleepy. Nuchal rigidity, Kernig's signs, and a bulging and tense fontanel are observed.

What laboratory and instrumental study is necessary to confirm the diagnosis in this case?

Serum biochemistry profile

Neurosonography

Brain MRI

Skull X-ray

Lumbar puncture

A 26-year-old man has been hospitalized with complaints of a fever of 38°C, shortness of breath, and chest pain on the right during breathing and coughing. According to the patient's medical history, the patient has been ill for more than 6 weeks and was self-treating himself. Objectively, cyanosis of the lips and a pale face are observed. Pulse — 105/min. The heart sounds are weakened, the right half of the chest lags behind during breathing. Percussion detects a dull sound on the right, from the level of the fifth rib and lower, breathing on the right is markedly weakened. Pleural tap on the right yielded a turbid fluid.

What is the most likely diagnosis in this case?

A 26-year-old man has been hospitalized with complaints of a fever of 38°C, shortness of breath, and chest pain on the right during breathing and coughing. According to the patient's medical history, the patient has been ill for more than 6 weeks and was self-treating himself. Objectively, cyanosis of the lips and a pale face are observed. Pulse — 105/min. The heart sounds are weakened, the right half of the chest lags behind during breathing. Percussion detects a dull sound on the right, from the level of the fifth rib and lower, breathing on the right is markedly weakened. Pleural tap on the right yielded a turbid fluid. What is the most likely diagnosis in this case?

- Hydrothorax
- Pneumonia
- Right-sided exudative pleurisy
- Lung cancer
- Acute pericarditis

A 26-year-old man has been hospitalized with complaints of a fever of 38°C, shortness of breath, and chest pain on the right during breathing and coughing. According to the patient's medical history, the patient has been ill for more than 6 weeks and was self-treating himself. Objectively, cyanosis of the lips and a pale face are observed. Pulse — 105/min. The heart sounds are weakened, the right half of the chest lags behind during breathing. Percussion detects a dull sound on the right, from the level of the fifth rib and lower, breathing on the right is markedly weakened. Pleural tap on the right yielded a turbid fluid. What is the most likely diagnosis in this case?

- Hydrothorax
- Pneumonia
- Right-sided exudative pleurisy
- Lung cancer
- Acute pericarditis

A 32-year-old woman complains of general weakness, low-grade fever persisting for 4 months, lumbar pain, and dysuria. Anamnesis includes frequent acute respiratory diseases, overexposure to cold, low-calorie diet, a case of pulmonary tuberculosis in childhood. Clinical urine analysis: pH — 4.8, leukocyturia, hematuria. Complete blood count: leukocytosis, lymphocytosis, raised ESR. Urography concludes: dilatation of renal pelvis and calyceal system of both kidneys, foci of calcification in the projection of right kidney parenchyma.

What is the most likely diagnosis?

A 32-year-old woman complains of **general weakness, low-grade fever persisting for 4 months, lumbar pain, and dysuria**. Anamnesis includes frequent acute respiratory diseases, overexposure to cold, low-calorie diet, a **case of pulmonary tuberculosis in childhood**. Clinical urine analysis: pH — 4.8, **leukocyturia, hematuria**. Complete blood count: leukocytosis, lymphocytosis, raised ESR. **Urography concludes: dilatation of renal pelvis and calyceal system of both kidneys, foci of calcification in the projection of right kidney parenchyma.**

What is the most likely **diagnosis**?

- Right renal cyst
- Right renal carcinoma
- Acute glomerulonephritis
- Nephrotuberculosis
- Chronic pyelonephritis

A 32-year-old woman complains of **general weakness, low-grade fever persisting for 4 months, lumbar pain, and dysuria**. Anamnesis includes frequent acute respiratory diseases, overexposure to cold, low-calorie diet, a **case of pulmonary tuberculosis in childhood**. Clinical urine analysis: pH — 4.8, **leukocyturia, hematuria**. Complete blood count: leukocytosis, lymphocytosis, raised ESR. **Urography concludes: dilatation of renal pelvis and calyceal system of both kidneys, foci of calcification in the projection of right kidney parenchyma.**

What is the most likely **diagnosis**?

- Right renal cyst
- Right renal carcinoma
- Acute glomerulonephritis
- **Nephrotuberculosis**
- Chronic pyelonephritis

A 35-year-old woman had acute onset of the disease that started with fever up to 39.0°C and cough. 3 days later her dyspnea at rest increased up to 35/min. Downward from her right shoulder-blade angle, percussion detects a dull sound. No vocal fremitus, respiratory sounds cannot be auscultated.

What is the treatment tactics?

A 35-year-old woman had acute onset of the disease that started with fever up to 39.0°C and cough. 3 days later her dyspnea at rest increased up to 35/min. Downward from her right shoulder-blade angle, percussion detects a dull sound. No vocal fremitus, respiratory sounds cannot be auscultated.

What is the treatment tactics?

- Pleural tap
- Antibiotic therapy
- Artificial lung ventilation
- Oxygen therapy
- Physiotherapy

A 35-year-old woman had acute onset of the disease that started with fever up to 39.0°C and cough. 3 days later her dyspnea at rest increased up to 35/min. Downward from her right shoulder-blade angle, percussion detects a dull sound. No vocal fremitus, respiratory sounds cannot be auscultated.

What is the treatment tactics?

- Pleural tap
- Antibiotic therapy
- Artificial lung ventilation
- Oxygen therapy
- Physiotherapy

After lifting a heavy object, a 41-yearold man felt a sharp pain in his chest on the right and developed progressing shortness of breath. The patient's condition is severe. His lips and mucosa are cyanotic, respiratory rate – 28/min., pulse – 122/min. Over the right half of the chest, percussion shows tympanitis, while auscultation detects sharply weakened breathing. The II heart sound is accentuated over the pulmonary artery. Blood pressure is 80/40 mm Hg.

What primary emergency measure must be taken at the prehospital stage in this case?

After lifting a heavy object, a 41-yearold man felt a sharp pain in his chest on the right and developed progressing shortness of breath. The patient's condition is severe. His lips and mucosa are cyanotic, respiratory rate – 28/min., pulse – 122/min. Over the right half of the chest, percussion shows tympanitis, while auscultation detects sharply weakened breathing. The II heart sound is accentuated over the pulmonary artery. Blood pressure is 80/40 mm Hg.

What primary emergency measure must be taken at the prehospital stage in this case?

- Administration of adrenaline
- Administration of euphyllin (aminophylline)
- Call for a cardiology team
- Aspiration of air from the pleural cavity
- Oxygen inhalation

After lifting a heavy object, a 41-yearold man felt a sharp pain in his chest on the right and developed progressing shortness of breath. The patient's condition is severe. His lips and mucosa are cyanotic, respiratory rate – 28/min., pulse – 122/min. Over the right half of the chest, percussion shows tympanitis, while auscultation detects sharply weakened breathing. The II heart sound is accentuated over the pulmonary artery. Blood pressure is 80/40 mm Hg.

What primary emergency measure must be taken at the prehospital stage in this case?

- Administration of adrenaline
- Administration of euphyllin (aminophylline)
- Call for a cardiology team
- Aspiration of air from the pleural cavity
- Oxygen inhalation